

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

August 29, 2013

WELL WORK PERMIT

Secondary Recovery Well

This permit, API Well Number: 47-3305778, issued to HG ENERGY, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: A. STONESTREET 124

Farm Name: CURRY, KEITH A. & BRENDA S.

API Well Number: 47-3305778

Permit Type: Secondary Recovery Well

Date Issued: 08/29/2013

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR § 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR § 4-19.1.c, if the operator is unable to sample and analyze any water well or spring within one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours.
- 7. Well work activities shall not constitute a hazard to the safety of persons.

WW-3B 10/07



1) Date	June 19, 2013							
2) Operator's Well	No. A Stonestreet No. 124							
3) API Well No.	47	-						
	State		County		Permit			
4) UIC Permit No.	UIC2R03301AP							

STATE OF WEST VIRGINIA NOTICE OF LIQUID INJECTION OR WASTE DISPOSAL WELL WORK PERMIT APPLICATION FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

6) LOCA	L TYPE:	ridure	d Injection	X	i	Gas Injection	not storag	e)	Waste D	isposai	Perfect 6 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5
,	ATION:	Elevation	1228'			Wate	rshed	Ten Mil	le Creek		
	Distric	:t	Tenmile		County	y Harris	on		Quadrangle	Wol	Summit 7.5'
7) WELI	L OPERATOR:	HG Ener	rgy, LLC		494497948	8) DES	SIGNATED	AGENT:	Mik	e Kirsc	h
		5260 Duj	pont Road			_		•			nt Road
		Parkersh	ourg, WV 2	26101		_	•				g, WV 26101
9) OIL &	GAS INSPECT	OR TO BE	NOTIFIE	D:		10) DF	RILLING C	ONTRAC'	ΓOR:		
	Nam	e Sam War	rd					Name			
	Addres	s P. O. Box	ASSESSMENT ASSES			_		Address	.		
		Buckhan	nnon, WV 2	26101		_					
11) PROP	OSED WELL W	ORK:	Drill	X		Drill Deeper		Redrill	Sti	mulate	X
					ld Formation		Perforate 1	New Forma	ation		Convert
			Other	Physic	al Change in	Well (specify)					
12) Geolog	gical target form	ation		Fifth S	Sand	Depth	-	3,024 MD	Ft. (Top) to		3,040 Ft. (Bottom
13) Estim	ated depth of co	mpleted we	ell (or actu	al dept	h of existing	well)	3200' TMD)	Ft.		
14) Appro	ximate water st	rata depth:	s:	Fresh		280	Ft.		Salt	1,34	0 Ft.
15) Appro	oximate coal sear	m depths:			465		Ft.				
16) Is coal	l being mined in	the area?		k	Yes		X	No			
17) Virgin	ı reservoir press	ure in targ	et formati	on:		1,2	50	psig.	Source		Estimated
18) Estim	ated reservoir fi	acture pre	ssure:			2,6	50	psig.			
19) MAXI	MUM PROPOS	ED INJEC	TION OPI	ERATIO	NS: Vo	lume per hour	25 BBL		Bottom Hole Pr	essure	2,400 psi
	ILED IDENTIF					-					
	ther chemicals a							DITIVES.	Fresh water	produc	ced water, bactericid
21) FILTE	ERS (IF ANY)		Cartridge	filters	and/or coal	hed filters					
utores experience and	IFICATION FO	D CARITOI					ONI CONTRIL	201	-		
22) SPEC	IFICATION FO	R CATHOL	JIC PROT	ECTIO	N AND OTH	ER CORROSIC	JN CONTI	KOL .	-		
23) CASII	NG AND TUBIN	IG PROGR	AM								
O A GINIO OI		appar	DICATION	10		DOOM LOD DA	TIPDILLI G		ODJ (D) III DII		D. arrana
CASING OI		Grade	FICATION Weight	New	Used F	FOOTAGE IN'	Left in		CEMENT FIL	94-54-590-55	PACKERS
PITRING TY	III Size	Grade	Weight	ivew	Osed F	or Drining	Leit in	wen	OR SACKS (C)	J. F1.)	Kinds
Conductor	7"	T.S	17#	y		540'	540'		Coment to Surf	000	
Conductor Fresh Wate	r 7"	L.S.	17#	X		540'	540'		Cement to Surf	ace	Tension
Conductor Fresh Wate Coal		L.S.	17#	X		540'	540'		Cement to Surf	ace	Tension Sizes
Conductor Fresh Wate Coal Intermediat											Tension Sizes 2.375" x 4.5"
Conductor Fresh Wate Coal Intermediat Production	te	J-55 J-55	17# 10.5# 4.6#	X		3200' 2900'	3200 2900	0'	Cement to Surf		Tension Sizes
Conductor Fresh Wate Coal Intermediat Production Tubing	te 4 1/2"	J-55	10.5#	X		3200'	3200	0'			Tension Sizes 2.375" x 4.5" Depths Set
Conductor Fresh Wate Coal Intermediat Production Tubing	te 4 1/2"	J-55	10.5#	X		3200'	3200	0'			Tension Sizes 2.375" x 4.5" Depths Set 2800'
Conductor Fresh Wate Coal Intermediat Production Tubing	te 4 1/2"	J-55	10.5#	X		3200'	3200	0'			Tension Sizes 2.375" x 4.5" Depths Set 2800' Perforations
Conductor Fresh Wate Coal Intermediat Production Tubing	te 4 1/2"	J-55	10.5#	X		3200'	3200	0'			Tension Sizes 2.375" x 4.5" Depths Set 2800' Perforations
Conductor Fresh Wate Coal Intermediat Production Tubing Liners	te 4 1/2"	J-55 J-55	10.5#	X X		3200' 2900' A. & M	3200	0' 0'	150 sacks, CTS		Tension Sizes 2.375" x 4.5" Depths Set 2800' Perforations Top Bottom
	te 4 1/2" 2 3/8"	J-55 J-55	10.5# 4.6 #	X X	red from her Contrac	3200' 2900' A. & N	3200 2900	0'	150 sacks, CTS		Tension Sizes 2.375" x 4.5" Depths Set 2800' Perforations

WW-3A 10/07



1) Date:		June 19, 2	013	
2) Operator's We	ell No.	A Stonesti	reet N	Vo. 124
3) API Well No.	47	033	-	05778
	State	County		Permit
4) THC Downit M		THCoBus	201 4 1	D

STATE OF WEST VIRGINIA

NOTICE OF LIQUID INJECTION OR WASTE DISPOSAL WELL WORK PERMIT APPLICATION FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

5) Surface Owner(s) To Be Served	7 (a) Coal Operator	
(a) Name Keith & Brenda Curry	Name	NA
Address RR 4, Box 480	Address	
Salem, WV 26426	3	
(b) Name NA	7 (b) Coal Owner(s)	With Declaration Of Record
Address	Name	NA
IN SECTION ASSESSMENT OF THE PROPERTY OF THE P	Address	
(c) Name NA		
Address	Name	
	Address	
6) Inspector Sam Ward	7(c) Coal Lessee W	ith Declaration Of Record
Address P. O. Box 2327		Wolf Run Mining Co.
Buckhannon, WV 26101		2708 Cranberry Square
Telephone 389-7583	-	Morgantown, WV 26505
TO THE PERSON(S) NAMED ABOVE: You should have	e received this fo	orm and the following documents:
(1) The Application for a Liquid Injection or Waste Disposal W	Vell Work Permit o	on Form WW-3(B), which
sets out the parties involved in the drilling or other work;		
(2) The plat (surveyor's map) showing the well location on For	rm WW-6; and	
(3) The Construction and Reclamation Plan on Form WW-9 (u		k is only to plug a well),
which sets out the plan for erosion and sediment control as		
he date proposed for the first injection or waste disposal is	To be determine	
HE REASON YOU RECEIVED THESE DOCUMENTS IS THAT YO		
WHICH ARE SUMMARIZED IN THE "INSTRUCTIONS" ON FORM	WW-3(A) DESIGNA	TED TO YOU. HOWEVER YOU
RE NOT REQUIRED TO TAKE ANY ACTION AT ALL.		
ake notice that under Chapter 22-6 of the West Virginia Code, the undersigne	d well operator propose	es to file or has filed this Notice and
pplication and accompanying documents for a Well Work Permit with the Chi-	ef of the Office of Oil ar	nd Gas, West Virginia Department of
nvironmental Protection, with respect to a well at the location described on th	e attached Application	and depicted on the attached Form
VW-6. Copies of this Notice, the Application, the plat, and the Construction and	d Reclamation Plan hav	ve been mailed by registered or
ertified mail or delivered by hand to the person(s) named above (or by publicat	tion in certain circumst	ances) on or before the day of the
nailing or delivery to the Chief.		
	100 1 102 1	7 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2
The person signing this document shall make the	following certification	on:
	Well Organis	HC Francis II C
Certify under penalty of law that I have personally examined and am	Well Operator Address	HG Energy, LLC 5260 Dupont Road
amiliar with the information submitted in this document and all attachments	Address	Parkersburg, WV 26101
nd that, based on my inquiry of those individuals immediately responsible or obtaining the information, I believe that the differentiation is true, accurate		Tarkeroburg, 11 v 20101
nd complete. I am aware that there are significant penalties for submitting	By:	Diane C. White
alse information, including the possibility of fine and imprisonment."	Its:	Accountant
SCS WA		
Our		_n =
,,	Signature	Diane CWhite

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at:

deprivacyofficer@wv.gov

Form WW-9 Rev. 10/94

	Page	3	of	3
APIN	Number 47-	033		
Operator's Well No.	A Stone	street 1	No. 124	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator	HG Energ	y, LLC				OP Code 4	1944979	48
Watershed	Ten Mile (Creek	China Ing		Quadrangle	Wolf Sumn	ait 7.5'	692
Elevation	1228'	County	Harrison	3	District	Tenmi	le	09
Description of	of anticipated Pit Waste:	Fluids encoun	tered in drilling	shallow w	vell.	* *		
Do you antic	ipate more than 5,000 bbls	of water to comp	lete the proposed w	ell worl	Yes	No X		
Will a synthe	etic liner be used in pit?	Yes	If so, what mil.?	20	Mil.			CD4
Proposed Dis	sposal Method For Treated	Pit Wastes:			TRACT			5DW
	X Land Applie	cation						6/271
	Undergroun	nd Injection (UIC	Permit Number)
	Reuse (at A						1401)
			rm WW-9 for dispos	sal location	n)			
	Other	(Explain					-)
Drilling med	ium anticipated for this we				resh Water			
A 1 1 1 1 1 1 1	- If oilbased, what type?		um, etc.	NA		<u> </u>	ed Lines	THE RESIDENCE OF THE
Additives to			1 60 11 1					
Drill cuttings	s disposal method? Leave i			G 13	1. 1	NT 41 '11	. 71	
	 If left in pit and plan to s Landfill or offsite name/ 		dium will be used?	Cement, I	lime, sawdust	Native soil, cer	ment, li	me
applicable la this applicati for obtaining	risions of the permit are en w or regulation can lead to I certify under penalty of ion form and all attachmen the information, I believe submitting false informati	enforcement acti law that I have pe ats thereto and the that the informat	on. ersonally examined at, based on my inc ion is true, accurat possibility of fine o	and am fa quiry of the e and com r imprisor	amiliar with th ose individuals aplete. I am aw ament.	e information su immediately res	bmitted	on
Company O	fficial Signature		Diane C1	Whit	Te			
Company O	fficial (Typed Name)		Diane C. White					
Company O	fficial Title	-	Accountant					
				ibui.				el topic
Subscribed :	and sworn before me thi	is 30	day of June F	INX D	201	Notary Public		Received Office of Oil &
My commiss	sion expires		NOV. 12	. 201	8			JUL 1
Form WW-9			STEST VI	NOT	FICIAL SEAL TARY PUBLIC F WEST VIRG L. PETHTEL	AINIA		

MMM9-Back

Property Boundary

Existing Fence

Road

Legend

Diversion

Spring


Wet Spot

Planned Fence	//	Drain Pipe	(12)>
Stream		Waterway	\leftrightarrow
Open Ditch	>	Cross Drain	
Rock	200 P 200 25	Filter Strip	XXXXXXXXX
	000	Pit: Cut Walls	
North	· N .		
Buildings	ESC	Pit: Compacted Fill Walls	
Water Wells	w	Area of Land	
Drill Site	\oplus	Application of Pit Waste	
	Area		
Proposed Revegetation Treatme			evegetation pH
	Arca		
	Approx.	1.0 Ac.	
Lime	2 Tons/Acre or Co	rrect to pH 6.5	
Fertiliz	er (10-20-20 or Equivalent) 500	0 Lbs./Acre (500	lbs. Minimum)
Mulch		re	
	SEED MIX	KTURES	
	* **		Area II (Road)
Seed Type	I (Location) Lbs/Ac.	Seed Type	Lbs/Ac.
Tall Fescue	40	Tall Fescue	40
Ladino Clover	5	Ladino Clover	5
Attach: Drawing(s) of road, location, p Photocopied section of involve	oit and proposed area for land application ad 7.5' topographic sheet.		
Plan approved by:	& D Warratt		
Comments:			
Title:	It Gas Inspector	t the second	Date: 6/27/2013
	(i) Vac		
Field Reviewed?	(X) res		No
	•		

Detail of: Main Waterflood Access Road

To Serve Alexander Stonestreet No. 124





Alexander Stonestreet Lease

Keith Curry A. Stonestreet
- Surface Owner No.214

To:
A. Stonestreet
No. 124
(See Attached
Location Detail)

Notes:

- Road shown is a main access road for the Wolf Summit Waterflood Project. Road is existing and has been upgraded as shown.
- Drainage structures and water control will be maintained.
- Any disturbed areas will be re-vegetated as outlined on Form WW-9.
- All road grades <5% except as noted.

Note: Drawing not to Scale

3887785

